



Printing date 06.04.2015 Revision: 06.04.2015

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: SHS27 CHROME YELLOW MIXING TINT
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Lusid Technologies 5195 West 4700 South KEARNS, UT 84118

USA

- · Further information obtainable from: Product safety department
- · Emergency telephone number: 1-800-535-5053

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Carc. 1B H350 May cause cancer.

Repr. 1A H360Df May damage the unborn child. Suspected of damaging fertility.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



T; Toxic

R45-61: May cause cancer. May cause harm to the unborn child.



Xn; Harmful

R62: Possible risk of impaired fertility.



N; Dangerous for the environment

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 1)

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R10-33-67: Flammable. Danger of cumulative effects. Vapours may cause drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:





T Toxic

N Dangerous for the environment

· Hazard-determining components of labelling:

Lead sulfochromate yellow

- · Risk phrases:
- 45 May cause cancer.
- 61 May cause harm to the unborn child.
- 62 Possible risk of impaired fertility.
- 10 Flammable.
- 33 Danger of cumulative effects.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

67 Vapours may cause drowsiness and dizziness.

· Safety phrases:

- *Avoid exposure obtain special instructions before use.*
- 1/2 Keep locked up and out of the reach of children.
- 29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- · Special labelling of certain preparations:

Restricted to professional users.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 1344-37-2	Lead sulfochromate yellow	25-50%
EINECS: 215-693-7		
	Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373; 🕸 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 123-86-4	n-butyl acetate	10-25%
EINECS: 204-658-1	R10-66-67	
	🊸 Flam. Liq. 3, H226; 🕚 STOT SE 3, H336	
CAS: 110-43-0	heptan-2-one	2.5-10%
EINECS: 203-767-1	★ Xn R20/22	
	$\overline{R10}$	
	🏇 Flam. Liq. 3, H226; ∳ Acute Tox. 4, H302; Acute Tox. 4, H332	

· SVHC

1344-37-2 Lead sulfochromate yellow

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

ъ



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)





Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 4)

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
1344-37-2 Lead sulfochromate yellow		
WEL Long-term value: 0.05 mg/m³ as Cr; Carc, Sen		
123-86-4 n-butyl acetate		
WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm		
110-43-0 heptan-2-one		
WEL Short-term value: 475 mg/m³, 100 ppm Long-term value: 237 mg/m³, 50 ppm		

· Ingredients with biological limit values:

1344-37-2 Lead sulfochromate yellow

BMGV 10 µmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: chromium

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls

Sk

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)





Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 5)

 $\cdot \textit{Penetration time of glove material}$

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	and c	hemical	l pro	perties

Information on basic physical and	chemical properties
General Information	
· Appearance:	**
Form:	Liquid
Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	124 °C
· Flash point:	27 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	370 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.5 Vol %
· Vapour pressure at 20 °C:	10.7 hPa
· Density at 20 °C:	1.58 g/cm³
Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 7)





Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

		(Contd. of page 6
Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
Partition coefficient (n-octano	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	21.8 %	
VOC (EC)	22.50 %	
Solids content:	77.5 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

1344-37-2 Lead sulfochromate yellow

Oral | LD50 | >10000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Carcinogenic.

GB



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

/ WALLO	nout In:	town a	tion
14 Trans	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		********
T 1 T 1 00100	P 0 1 0 010	01111000	

· UN-Number · ADR, IMDG, IATA	UN1263
· UN proper shipping name · ADR · IMDG · IATA	1263 PAINT, ENVIRONMENTALLY HAZARDOUS PAINT (Lead sulfochromate yellow), MARINE POLLUTANT PAINT

(Contd. on page 9)





Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 8) · Transport hazard class(es) · ADR, IMDG · Class 3 Flammable liquids. · Label \cdot IATA · Class 3 Flammable liquids. · Label · Packing group III· ADR, IMDG, IATA · Environmental hazards: Product contains environmentally hazardous substances: Lead sulfochromate yellow · Marine pollutant: Yes Symbol (fish and tree) Symbol (fish and tree) · Special marking (ADR): Warning: Flammable liquids. · Special precautions for user · Danger code (Kemler): 30 · EMS Number: F-E,S-E· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Limited quantities (LQ) 5L· Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category · Tunnel restriction code D/E · IMDG 5L· Limited quantities (LQ) · Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

> > (Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 9)

· UN "Model Regulation":

UN1263, PAINT, ENVIRONMENTALLY HAZARDOUS, 3, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

1344-37-2 Lead sulfochromate yellow

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H350 May cause cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- *H410* Very toxic to aquatic life with long lasting effects.
- R10 Flammable.
- R20/22 Harmful by inhalation and if swallowed.
- R33 Danger of cumulative effects.
- R45 May cause cancer.
- R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- *R61 May cause harm to the unborn child.*
- *R62 Possible risk of impaired fertility.*
- *R66* Repeated exposure may cause skin dryness or cracking.
- R67 Vapours may cause drowsiness and dizziness.
- · Department issuing MSDS: Environment protection department.
- · Contact: Mr. Roberts

(Contd. on page 11)



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2015 Revision: 06.04.2015

Trade name: SHS27 CHROME YELLOW MIXING TINT

(Contd. of page 10)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4

Carc. 1B: Carcinogenicity, Hazard Category 1B

Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

GB